



Product Code

F01670

## MARINE SIP PANEL ST1 CP101

Reference

1670

EAN

8424299016702

### Description.

---

#### Description

##### **Marine SIP 1 Button Panel**

MARINE is Fermax's IP65 IK09 vandal-proof panel. It is made of 2.5mm thick stainless steel, specifically AISI 316L steel. Marine is the perfect choice for installation in extreme weather conditions or hazardous environments, such as humid or corrosive climates. The panel is available in stainless steel and also in different color or with laser engraving. Check out reference 31722 for the Marine SIP Elite Panel.

The call buttons are vandal-proof, made of stainless steel with an anti-blocking system to withstand any impact. They include a cardholder to display informative labels. Marine panels do not include the flush or surface mounting box, which must be requested separately. Surface-mounted panels come with a protective hood.

- Configuration via webserver
- Programmable call button for sequential P2P calls to up to 8 different terminals
- Ability to connect to up to two local or remote VoIP PBXs

- Compatible with MEET devices and MEET ME APP\*

\*For SIP integrations with MEET devices and/or call forwarding to MEET ME, refer to the installer manual.

MEET ME call divert license ref. 1496 to mobile must be purchased separately.

<b>Protocols</b>	SIP v1 (RFC2543), SIP v2 (RFC3261) over TCP, UDP, or TLS RTP/RTCP/SRTP STUN DHCP SNTP FTP/TFTP HTTP/HTTPS TR-069
<b>Video</b>	HD 2Mpx camera. 98° H, 65° V Resolution 720p/1080p H.264
<b>Audio</b>	Codecs G.711A/U, G.729A/B, iLBC, G.723.1, G.726-32K, G.722, Opus DTMF In-band, Out-band (RFC2833/SIP INFO)
<b>Outputs</b>	2x Relay C-N/O, N/C maximum 30V/2A DC, 125V/0.5A AC
<b>Network</b>	Ethernet 10/100 Mbps IPv4, IPv6, IPv4+IPv6 modes Static, Dynamic, PPoE IP addressing L2TP, OpenVPN VPN VLAN
<b>Power Supply</b>	PoE Class 3 (max 30W) 12-24V DC/1A
<b>Others</b>	Working temperature: -30°C to 60°C Working humidity: up to 95%, without condensation Tested in accordance with IEC 60068

## Details.

---

Weight (kg)

1.000596

Packaging measurements

(height x width x depth) cm

21x15,8x7,8

Video Door Entry system

Technologie

SIP

## Manuals

- 970299b Guia rapida Placa SIP Marine V07\_24.pdf
- 970300Ab SIP marine panel installer manual v09\_24.pdf
- 970300Eb Manual instalador Placa SIP Marine v09\_24.pdf
- 970300Fb SIP marine panel installer manual v09\_24.pdf
- 970300Ib SIP marine panel installer manual v09\_24.pdf
- 970300Ob SIP marine panel installer manual v09\_24.pdf
- 970300Pb SIP marine panel installer manual v09\_24.pdf
- 970300Yb SIP marine panel installer manual v09\_24.pdf
- 97737\_Limpieza\_Placas\_Marine\_V04\_20.pdf

## Declaration of conformity

- DOCF01670EN.pdf


## Accessories



F04641  
MARINE ST1 FLUSH BOX



F04645  
MARINE ST1 SURFACE BOX



F01496  
MEETME CALL DIVERT LICENSE W/O  
TERM 1APT



F04813  
P.S.U. DIN6 100-240VAC/12VDC-2A



F01586  
SWITCH POE 4 PORTS



F01587  
SWITCH POE 8 PORTS