



Product Code

F03444

DUOX PLUS VEO TELEPHONE

Reference

3444

EAN

8424299034447

Description.

Description

Audio terminal.

The VEO telephone is made of high impact ABS plastic. Textured finish for easy cleaning and UV protection to make it more resistant to sunlight. The unique and exclusive design of the handset incorporates a magnet that makes it easy for the user to hang up, ensuring a correct hanging at the end of the conversation. Its balanced design of pure lines is distinctive, modern and minimalist. When receiving a call, when the handset is off the hook, the conversation with the visitor begins. The conversation ends automatically after 90 seconds or when the handset hangs up. To open the door, press the blue lock release button.

Wall installation and easy fixing.

System: DUOX PLUS (2-wire digital).

Technical Details

GENERAL CHARACTERISTICS

- Technology: DUOX PLUS (non-polarised 2 wire full digital system)
- Audio/Video system: Audio
- Set-up (Installation): Surface mounted
- Desktop support: Yes (ref. 3749)
- Handset with magnet to facilitate the hang up: Yes
- Induction loop: Replace the handset with ref. 3443
- Color of the product: Matt white
- Number of pushbuttons: 1
- Kind of pushbuttons: Mechanical

PROGRAMMING OF THE TERMINAL ADDRESS

- From the outdoor panel or guard unit: Yes
- From the outdoor panel throughout the apartment door bell: Yes

FEATURES

- Guard unit call: Yes (by means of the door release button)
- Auto-on: Yes (with panel n° 0 of the own block or with the last panel from where a call has been produced and during the 30 s. after the finalization of the same)
- Apartment door bell differentiated from the outdoor panel: Yes
- Connection for additional devices (call extension, light/buzzer activator, etc.): Yes (ref. 2040, ref. 2438, ref. 3267)
- Additional terminals on the same address: Yes, max. 2 additional terminals (additional power supply can be required)

ADJUSTMENTS

- Ring tones selection: Yes (5). Configurable according to origin: Panels or Concierge unit
- Call volume control: Yes (3 positions switch)
- Do-not-disturb mode: Yes (3 positions switch). Indicated by a red mark.

TECHNICAL FEATURES

- Product dimensions (width x height x depth) mm 82 x 214 x 43
- Time to answer or open the door since the call is done: 30 s.
- Conversation time: 90 s.
- Conversation privacy: Yes

- Voltage: 18-24 Vdc
- Maximum consumption: 3,5 W
- Standby consumption: 0,3 W
- Working temperature (°C, °F); Humidity [-5°C, +40°C][23°F, 106°F]; [0%, 90%]
- Line adaptor included in the terminal Yes (A, C, default position OFF)
- Connections -, A, T, B, B

Details.

Product measurements (height x width x depth) mm	Product height (mm)	Product width (mm)	Product depth (mm)
214x82x43	214	82	43
Weight (kg)	Packaging measurements (height x width x depth) cm	Video Door Entry system Technologie	
0.3169	25,7x8,5x5,3	DUOX	

Manuals

- 970175c_Telefono_VEO_Duox_PLUS_V05_23.pdf

Declaration of conformity

- DOCF03444EN.pdf

Accessories



F03388
UNIVERSAL FRAME



F03389
UNIVERSAL FRAME LARGE



F03749
VEO/LOFT TEL. DESKTOP SUPPORT