



Product Code

F05233

INKEY-MINI IP FINGERPRINT READER W/PROX MIFARE

Reference

5233

EAN

8424299052335

Description.

Description

DESCRIPTION

- INKEY-MINI fingerprint reader, narrow profile and compact design, surface mount. It allows working as a stand-alone reader or with the centralized IP AXES system in Wiegand mode, registering the tracks from the reader itself.
- With the INKEY-MINI software and adding the USB fingerprint reader Ref.5234, it is also possible to register fingerprints from the PC, via IP.

CHARACTERISTICS

- Installation on interior or exterior surface.
- Degree of protection IP 65.
- Proximity reader integrated MIFARE.
- Display 1.8 "navigable by pressing on the optical reader.

Autonomous operation:

- 12Vdc power (Requires ref. 4813)
- Management of 5,000 tracks.
- Memory of 200,000 events.
- Allows cloning of fingerprints using a USB flash drive.
- Up to 150 readers in network.
- Add relay (ref. 2013 or ref. 3491) to connect the electric door opener.
- Centralized operation:
- Wiegand 34 connection (IP AXES) and IP (free fingerprint management software at www.fermax.com INKEY-MINI).

Details.

Product measurements (height x width x depth) mm	Weight (kg)	Packaging measurements (height x width x depth) cm	Video Door Entry system Technologie
48(H) x 138(V) x 38(P)	0.273	9x14,6x5,8	NO PE/VP

Access Control Technology

HUELLA

Manuals

- 970079 DOC_LECTOR HUELLA INKEY-MINI C-PROX MF REF. 5233 V10_19.pdf
- 970081I DOC SOFTWARE INKEY-MINI REF. 5233 5234 V12_19.pdf

Declaration of conformity

- DOCF05233EN.pdf

Accessories




F02013

ADDITIONAL FUNCTIONS RELAY



F04813

P.S.U. DIN6 100-240VAC/12VDC-2A



F03491

RELAY CARRIL DIN 12 VDC 12A



F05234

USB INKEY-MINI FINGERPRINT READER

Other images

