



Product Code

F05233

INKEY-MINI IP FINGERPRINT READER W/PROX MIFARE

Reference

5233

EAN

8424299052335

Description.

Description

DESCRIPTION

INKEY-MINI fingerprint reader, narrow profile and compact design, surface mount. It allows working as a stand-alone reader or with the centralized IP AXES system in Wiegand mode, registering the tracks from the reader itself.

With the INKEY-MINI software and adding the USB fingerprint reader Ref.5234, it is also possible to register fingerprints from the PC, via IP.

CHARACTERISTICS

Installation on interior or exterior surface.

Degree of protection IP 65.

Proximity reader integrated MIFARE.

Display 1.8 "navigable by pressing on the optical reader.

Autonomous operation:

- 12Vdc power (Requires ref. 4813)
- Management of 5,000 tracks.
- Memory of 200,000 events.
- Allows cloning of fingerprints using a USB flash drive.
- Up to 150 readers in network.
- Add relay (ref. 2013 or ref. 3491) to connect the electric door opener.

Centralized operation:

Wiegand 34 connection (IP AXES) and IP (free fingerprint management software at www.fermax.com INKEY-MINI).

Details.

Product measurements (height x width x depth) mm	Weight (kg)	Packaging measurements (height x width x depth) cm	Video Door Entry system
48(H) x 138(V) x 38(P)	0.273	9x14,6x5,8	Technologie NO PE/VP

Access Control Technology

HUELLA

Manuals

- 970079 DOC_LECTOR HUELLA INKEY-MINI C-PROX MF
REF. 5233 V10_19.pdf
- 970081I DOC SOFTWARE INKEY-MINI REF. 5233 5234
V12_19.pdf

Declaration of conformity

- DOCF05233EN.pdf

Accessories




F02013

ADDITIONAL FUNCTIONS RELAY



F04813

P.S.U. DIN6 100-240VAC/12VDC-2A



F03491

RELAY CARRIL DIN 12 VDC 12A



F05234

USB INKEY-MINI FINGERPRINT
READER

Other images

