


Product Code

F09459

DUOX PLUS VEO-XS WIFI DDA 4.3" MONITOR



Reference

9459

EAN

8424299094595

Description.

Description

Hands-free DUOX VEO-XS WIFI monitor is characterised by its small size and extra-flat thickness. Thanks to its OSD menu and the layout of the buttons, interaction with the user is simple and intuitive. Made of high impact ABS plastic. Texturised finish for easy cleaning and ultraviolet protection. VEO-XS WIFI incorporates a 4,3" (16:9) panoramic color TFT screen. Its balanced design of pure lines is distinguishing, modern and minimal. VEO-XS WIFI is equipped with a Wi-Fi connection that allows calls forwarding to mobile devices. Thanks to the Fermax DuoxMe app, available free of charge on Play Store and App Store, the functions of the video doorphone can be managed from a smartphone or a tablet, in order to connect you to your home, wherever you are.

Technical Details

GENERAL CHARACTERISTICS

- Technology: DUOX PLUS (non-polarised 2 wire full digital system)
- Audio/Video system: Audio/Video Color
- Set-up (Installation): Surface mounted (order connector ref. 9447 separately)

- Desktop support: Yes (ref. 9420)
- Hands-free communication: Yes
- Press-to-talk communication configurable: Yes
- Induction loop: Yes
- Screen dimensions: 4,3" (Panoramic 16:9)
- Screen resolution (H x V): 480 x 272
- Color of the product: Matt white
- Number of pushbuttons: 5
- Kind of pushbuttons: Mechanical (silicone)
- Number of leds for lighted indications: 3 (red, blue, green with different states)

PROGRAMMING OF THE TERMINAL ADDRESS

- From the terminal: From the OSD menu
- From the outdoor panel or guard unit: Yes
- From the outdoor panel throughout the apartment door bell: Yes

FEATURES

- Automatic picture capture when the visitor calls (PHOTOCALLER): Yes (1 photo/call, until 150 photos, 368 x 288 pixels). This feature can be enabled by the user. Disabled by default.
- Guard unit call: Yes (by means of the door release button)
- Auto-on: Yes (with 3 outdoor panels/cameras)
- OSD menu: Yes
- Additional function F1: Yes (Button F1 sends a negative and/or command)
- Additional function F2: Yes (it only sends command, no negative)
- Apartment door bell differentiated from the outdoor panel: Yes
- Connection for additional devices (call extension, light/buzzer activator, etc.): Yes (ref. 2040, ref. 2438, ref. 3267)
- Additional terminals on the same address: Yes, max. 2 additional terminals (additional power supply can be required)
- Doormatic (automatic door release for offices, etc.): Yes (configurable until 12h). Green Led ON.

ADJUSTMENTS

- Date and time: Yes
- Ring tones selection: Yes (5). Configurable for Block Panel 0, Block Panel 1, General Entrance Panel 0 and Concierge unit.
- Call volume control: Yes (10 levels by OSD menu)
- Do-not-disturb mode: Yes (by OSD menu) + Red led indication
- Audio volume control: Yes (10 levels by OSD menu)
- Brightness, color and contrast control: Yes (by OSD menu)

TECHNICAL FEATURES

- Product dimensions (width x height x depth) mm: 125 x 165 x 21

- Time to answer or open the door since the call is done: 30 s.
- Conversation time: 90 s.
- Conversation privacy: Yes
- Voltage: 18-24 Vdc
- Maximum consumption: 6.9 W (14.4W if the induction loop is activated)
- Standby consumption (paired and connected): 1.3 W
- Working temperature (°C, °F); Humidity: [-5°C, +40°C][23°F, 104°F]; [0%, 90%]
- Line adaptor included in the terminal: Yes (A, C, default position OFF)
- Connections: Bin, Bin, Bout, Bout, -, A+, F1, T

CALL FORWARDING (APP "DuoxMe" FOR SMARTPHONES & TABLETS)

- Call forwarding to smartphones and tablets: Yes
- Connectivity: Wifi (2,4 Ghz)

Details.

Product measurements (height x width x depth) mm	Product height (mm)	Product width (mm)	Product depth (mm)
165 x 125 x 21	165	125	21
Weight (kg)	Packaging measurements (height x width x depth) cm	Video Door Entry system Technologie	
0.2987	17x12,8x4	DUOX	

Manuals

- 970164Ah Monitor VEO XS wifi duox plus V12_24.pdf
- 970164Eh Monitor VEO XS wifi duox plus V12_24.pdf
- 970164Elg Monitor VEO XS wifi duox plus V10_23.pdf
- 970164FAg Monitor VEO XS wifi duox plus V10_23.pdf
- 970164Fh Monitor VEO XS wifi duox plus V12_24.pdf
- 970164lh Monitor VEO XS wifi duox plus V12_24.pdf
- 970164Pg Monitor VEO XS wifi duox plus V10_23.pdf
- 970164Ph Monitor VEO XS wifi duox plus V12_24.pdf
- https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/970165g%20Guia%20rap%20monitor%20VEO%20XS%20wifi%20duox%20V12_24.pdf, ,

Accessories



F09447
DUOX PLUS CONNECTOR



F03388
UNIVERSAL FRAME



F03389
UNIVERSAL FRAME LARGE



F09420
VEO-XS/VEO-XL MONITOR DESKTOP
SUPPORT

Training video

- <https://youtube.com/playlist?list=PLf1YNFmssC37H-1CN64lo6ND28rmVsQit>