

Product Code

F09533

1/W MILO VIDEO PANEL MEET



Reference

EAN

9533

8424299095332

Description.

Description

1L MEET VIDEO CARD PoE without proximity reader.

SPECIFICATIONS

- Aluminum profile
- Tempered glass
- High definition color camera
- Low consumption
- Extended operating range
- Modular Linux-based platform
- Remote Firmware Update

FUNCTIONS

- CALL TO APARTMENT Visitors can call the apartment associated with the plate.

- CALL TO CONCIERGE It is possible to make calls for assistance to the concierge associated with the panel.

REFERENCES

- Ref. 9533 1L MEET VIDEO CARD
- Ref. 9534 1L MEET VIDEO CARD (+ PROXIMITY READER)
- Ref. 9543 FLUSH BOX – S MEET
- Ref. 9519 SURFACE BOX – S MEET (Stainless Steel)
- Not compatible with Elevator Control function

Technical Details

System:

- CPU: ARM Cortex-A7 1.2GHz
- FLASH: 128M
- SDRAM: 64M

Audio Features:

- G.711 protocol
- Audio level 17.7 dB

Camera:

- 1/3" CMOS Color
- 120° visual angle. 52° (V), 100° (H)
- 1 Mega Pixels
- Minimum illumination 0.5 LUX
- AWB

LED:

- White LED
- LM 60 mA Min. 24, Typ. 26
- View Angle 2θ1/2: 120° Power Consumption:
- On standby: 125mA
- Working: 250mA

Working voltage:

- PoE/12 VDC

Connectivity:

- Ethernet RJ-45 Connector PoE
- Exit button and door sensor connection
- NO, C, NC: Door lock release connection
- Built in web server for configuration and remote management

Working Environment:

- Temperature: -25 oC – 70 oC
- Humidity: 10 – 90% (non-condensing)
- IP 54

Built-in MIFARE Classic reader (ref. 9434):

- 4-bytes cards only (see ref. 52740/52750)

CONNECTIONS

- RJ-45 10/100 Base-T Ethernet
- +, -, : 12 Vdc Power input
- BS, -, NA, SP: Exit button and door open sensor
- NO, C, NC: Door opening relay terminals
- 485+, 485-: RS485 serial port

Details.

Product measurements (height x width x depth) mm	Product height (mm)	Product width (mm)	Product depth (mm)
118x183x49	118	183	89
Weight (kg)	Packaging measurements (height x width x depth) cm	Video Door Entry system Technologie	
0.7976	8x25,5x16,5	MEET	

Manuals

- 970137Eg_Man_Inst_Placa_1L_MEET_V07_22.pdf
- https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/1/970137lg_Man_Inst_Placa_1L_MEET_V07_22.pdf, ,
- 970139Ec_Man_Inst_APP_MEET_V04_22.pdf
- https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/970139Ed%20Man%20Inst%20APP%20MEET%20V11_24.pdf, ,
- 970139Ic_Man_Inst_APP_MEET_V04_22.pdf
- 970139Id_Man_Inst_APP_MEET_V11_24.pdf
- 970139Pc_Man_Inst_APP_MEET_V02_25.pdf

Declaration of conformity

- DOCF09533EN.pdf

Accessories



F09543

MILO 1/W PANEL FLUSH BOX MEET



F09518

MILO 1W PANEL SURFACE BOX
MEET