

Product Code

F09534

# 1/W MILO VIDEO PANEL WITH PROX MEET



Reference

9534

EAN

8424299095349

## Description.

---

Description

**1L MEET VIDEO CARD PoE** available in two different versions: with Mifare proximity reader or without reader.

### SPECIFICATIONS

- Aluminum profile
- Tempered glass
- High definition color camera
- Low consumption
- Extended operating range
- Modular Linux-based platform
- Integrated Access Control (only in Ref.9534 with integrated proximity reader)
- Remote Firmware Update

### FUNCTIONS

- CALL TO APARTMENT Visitors can call the apartment associated with the plate.
- CALL TO CONCIERGE It is possible to make calls for assistance to the concierge associated with the panel.

**REFERENCES**

- Ref. 9533 1L MEET VIDEO CARD
- Ref. 9534 1L MEET VIDEO CARD (+ PROXIMITY READER)
- Ref. 9543 FLUSH BOX – S MEET
- Ref. 9519 SURFACE BOX – S MEET (Stainless steel)

Not compatible with Elevator Control function

## Technical Details

**System:**

- CPU: ARM Cortex-A7 1.2GHz
- FLASH: 128M
- SDRAM: 64M

**Audio Features:**

- G.711 protocol
- Audio level 17.7 dB

**Camera:**

- 1/3" CMOS Color
- 120o visual angle. 52° (V), 100° (H)
- 1 Mega Pixels
- Minimum illumination 0.5 LUX
- AWB

**LED:**

- White LED
- LM 60 mA Min. 24, Typ. 26
- View Angle 2θ1/2: 120 Power Consumption:
- On standby: 125mA
- Working: 250mA

**Working voltage:**

- PoE/12 VDC

**Connectivity:**

- Ethernet RJ-45 Connector PoE
- Exit button and door sensor connection
- NO, C, NC: Door lock release connection
- Built in web server for configuration and remote management

**Working Environment:**

- Temperature: -25 oC – 70 oC
- Humidity: 10 – 90% (non-condensing)
- IP 54

**Built-in MIFARE Classic reader (ref. 9434):**

- 4-bytes cards only (see ref. 52740/52750)

**CONNECTIONS**

- RJ-45 10/100 Base-T Ethernet
- +, -, : 12 Vdc Power input
- BS, -, NA, SP: Exit button and door open sensor
- NO, C, NC: Door opening relay terminals
- 485+, 485-: RS485 serial port

**Details.**

---

Product measurements (height x width x depth) mm	Product height (mm)	Product width (mm)	Product depth (mm)
118x183x49	118	183	89
Weight (kg)	Packaging measurements (height x width x depth) cm	Video Door Entry system Technologie	Access Control Technology
0.804	8x25,5x16,5	MEET	PROXIMIDAD

## Manuals

- 970137Eg\_Man\_Inst\_Placa\_1L\_MEET\_V07\_22.pdf
- [https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/1/970137lg\\_Man\\_Inst\\_Placa\\_1L\\_MEET\\_V07\\_22.pdf](https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/1/970137lg_Man_Inst_Placa_1L_MEET_V07_22.pdf), ,
- 970139Ec\_Man\_Inst\_APP\_MEET\_V04\_22.pdf
- [https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/970139Ed%20Man%20Inst%20APP%20MEET%20V11\\_24.pdf](https://d7rh5s3nxmpy4.cloudfront.net/CMP2008/files/970139Ed%20Man%20Inst%20APP%20MEET%20V11_24.pdf), ,
- 970139Ic\_Man\_Inst\_APP\_MEET\_V04\_22.pdf
- 970139Id\_Man\_Inst\_APP\_MEET\_V11\_24.pdf
- 970139Pc\_Man\_Inst\_APP\_MEET\_V02\_25.pdf

## Declaration of conformity

- DOCF09534EN.pdf

## Accessories



F09543

MILO 1/W PANEL FLUSH BOX MEET



F09518

MILO 1W PANEL SURFACE BOX  
MEET