





Product Code

F49121

# 1W DUOX PLUS MEMOV CITY VEO-XS WIFI KIT

Reference EAN

49121 8424299491219

Description.

#### Description

Fermax presents the new VEO-XS WIFI DUOX PLUS kits for single-family houses, offices and businesses .

The kits include all the necessary materials for installation: CITYLINE entrance panel with Memokey keyboard, VEO-XS WIFI monitor and power supply.

In addition, they work with DUOX PLUS, a fully digital door entry and video door entry system and technology on two non-polarized wires, which simplifies their installation while maintaining the highest quality in the product and design,

They include the VEO-XS WIFI DUOX PLUS monitor as standard, equipped with a Wi-Fi connection that **allows calls to be forwarded** to mobile devices.

Thanks to the **Fermax BLUE application**, available for free in the Play Store and App Store, the video door entry functions can be managed directly from a mobile or tablet, to connect to your home, wherever you are. By connecting your WiFi DUOX PLUS monitors with the BLUE app, a range of possibilities will open up. Of all of them we highlight two that will be key: Divert calls from the video door entry unit to your mobile and open the door to the house from a distance.

They also come as a standard with the **Photocaller** function, which automatically captures an image of the caller. If the user decides to activate this function, the monitor stores up to 150 images, indicating the date and time when they were taken. When the maximum capacity has been reached, taking a new photo will erase the first one stored. The screen always indicates if there are photos not displayed or if the date / time are not configured.



The **VEO-XS WIFI DUOX PLUS** hands-free **monitor** is characterized by its small size and thickness, extra-flat. Thanks to its OSD menu and the layout of the buttons, its interaction with the user is simple and intuitive.

It is made of high impact ABS plastic.

Includes a 4.3 "widescreen color display (16: 9).

Its balanced design of pure lines is distinctive, modern and minimalist.

The board includes an integrated Memokey keyboard for opening the door from the keyboard by entering a PIN code (up to 100 codes, 100 users).

DUOX PLUS is the new digital technology that exceeds all expectations. Because it makes the difficult easy.

### **Technical Details**

#### It includes:

- 73881 1W DUOX PLUS MEMOVISION CITY PANEL.
- 8855 CITY FLUSH BOX S5
- 9449 DUOX VEO-XS WIFI 4,3 MONITOR
- 9447 DUOX VEO/VEO-XS CONNECTOR
- 4825 POWER SUPP. UNIT+FILTER DIN10 24VDC-2.5A
- 4802 P.S.U. DIN4 230VAC/12VAC-1A

## Video:

- Sensor: 1/3 "CMOS color.
- Effective pixels> 340K. (the camera captures 720x480)
- Minimum external lighting: 0 lux. Since it has LEDs, no additional lighting is required.
- S / N> 45dB.
- Frame rate 25 fps.
- Resolution> 368x288 pixels.
- Video codec: H264 Highline Profile
- Auto iris.
- Auto BLC.
- Angle of vision 100° horizontal, 80° vertical.
- Fish eye correction.
- Color night vision through white LEDs.
- Pan & Tilt digital zoom.



# Details.

Manuals

Weight (kg) Packaging measurements Video Door Entry system 2.861091 (height x width x depth) cm

> 26x24x15 DUOX

Technologie

TECLADO

• 970172d GR Kit Vid DUOX PLUS VEO XS WIFI V12\_23.pdf

• 97572 Memokey NCity 100 codigos A5 V03\_10.pdf

Declaration of conformity

• DOCF04912ES.pdf

#### Products included



CITY FLUSH BOX S5



DUOX PLUS CONNECTOR



DUOX PLUS VEO-XS WIFI 4,3 MONITOR



Access Control Technology

P.S.U. DIN4 230VAC/12VAC-1A



POWER SUPP. UNIT+FILTER DIN10 24VDC-2.5A



F73881 1W DUOX PLUS MEMOVISION CITY PANEL

# Accessories



CITY FLUSH BOX S5



CITY PANEL S5 MODULAR



CITY SINGLE ANGLE BOX S5



CITY SINGLE HOOD S5



## DECORATIVE FRAME



F07065
CITY SURFACE BOX S5



F08255
CITYLINE DECORATIVE FRAME S5



F03267
DUOX PLUS RELAY



ELECTRONIC EXTENSION CALL



F09454
IP/DUOX PLUS CAMERA INTERFACE



F03388 UNIVERSAL FRAME



F03389
UNIVERSAL FRAME LARGE



F02438

VDS LIGHT/BUZZER ACTIVATOR



VEO-XS/VEO-XL MONITOR DESKTOP SUPPORT

Fermax / Products 4/4