



Product Code

F50351

## 6W DUOX PLUS VIDEO SKYLINE KIT

Reference

50351

EAN

8424299503516

### Description.

---

#### Description

**DUOX PLUS is the new digital technology that exceeds all expectations. Because it makes the difficult easy.**

DUOX PLUS is the first completely digital Smart System in non-polarized two-wire technology for intercom and video intercom.

It is the most technologically advanced system in the world that allows quick installation with just two wires.

It is a technological revolution called to change our conception of door and video door entry systems. Because it offers more performance and capabilities, greater simplification and speed. But, above all, because it takes us to a new dimension, where all the information (audio, video, data) is transformed into digital matter that is transported using only two non-polarized wires.

With DUOX PLUS we are deploying a digital platform in homes that, in addition to offering us important improvements for today, will serve as the basis for tomorrow's innovations.

**SKYLINE DUOX PLUS VIDEO KITS** only require two non-polarized wires for installation, maintaining the highest quality in the product and design, which simplifies the installation of systems with up to 12 apartments. The **SKYLINE DUOX PLUS VIDEO KITS** for buildings with 4 to 12 homes include all the necessary material for a complete video door entry system installation (except monitors and connectors).

#### Technical Details

Includes:

- 1 x 7334 - FRAME SKYLINE 4V S5
- 1 x 73911 - DUOX PLUS SKYLINE W VIDEO AMPLIFIER

- 1 x 7372 - 4 PUSHBUTTONS 202 V DUOX/BUS2/VDS SKYLINE
- 1 x 7376 - 2 PUSH-BUTTONS 201 V DUOX/BUS2/VDS SKYLINE
- 1 x 8855 - FLUSH BOX CITY S5
- 1 x 4825 - POWER SUPPLY+FILTER DIN10 24VDC-2.5A
- 2 x 3255 - DUOX PLUS LINE ADAPTER

#### Video:

- Sensor: 1/3" color CMOS.
- Effective pixels > 340K. (camera captures 720x480)
- Minimum external lighting: 0 lux. Since it has LEDs, no additional lighting is required.
- Y/N >45dB.
- Frame rate 25 fps.
- Resolution> 368x288 pixels.
- Video codec: H264 Highline Profile
- Auto iris.
- Auto BLC.
- Viewing angle 100° horizontal, 80° vertical.
- Fisheye correction.
- Color night vision through white leds.
- Pan & Tilt digital zoom.

#### Details.

Weight (kg)

2.001146

Packaging measurements

(height x width x depth) cm

27x25x7,5

Video Door Entry system

Technologie

DUOX

#### Manuals

- 970285E KITS DUOX PLUS SKYLINE 4-12L V00\_00.pdf
- 970285I DUOX PLUS SKYLINE KITS 4-12W V00\_00.pdf

#### Accessories



F08855



F03255



F04825



F73911

CITY FLUSH BOX S5



F07334

SKYLINE FRAME 4V (S5 )

DUOX PLUS LINE ADAPTOR



F07376

2 PUSH. 201 V DUOX/VDS SKYLINE

POWER SUPP. UNIT+FILTER DIN10  
24VDC-2.5A



F07372

4 PUSH. 202 V VDS/BUS2 SKYLINE

SKYLINE DUOX PLUS VID. AMP. W