



Product Code

F50381

# 12W DUOX PLUS VIDEO SKYLINE KIT

Reference EAN

50381 8424299503813

# Description.

#### Description

DUOX PLUS is the new digital technology that exceeds all expectations. Because it makes the difficult easy.

DUOX PLUS is the first completely digital Smart System in non-polarized two-wire technology for intercom and video intercom. It is the most technologically advanced system in the world that allows quick installation with just two wires. It is a technological revolution called to change our conception of door and video door entry systems. Because it offers more performance and capabilities, greater simplification and speed. But, above all, because it takes us to a new dimension, where all the information (audio, video, data) is transformed into digital matter that is transported using only two non-polarized wires.

With DUOX PLUS we are deploying a digital platform in homes that, in addition to offering us important improvements for today, will serve as the basis for tomorrow's innovations.

**SKYLINE DUOX PLUS VIDEO KITS** only require two non-polarized wires for installation, maintaining the highest quality in the product and design, which simplifies the installation of systems with up to 12 apartments. The **SKYLINE DUOX PLUS VIDEO KITS** for buildings with 4 to 12 homes include all the necessary material for a complete video door entry system installation (except monitors and connectors).

**Technical Details** 

#### Includes:

- 1 x 7335 FRAME SKYLINE 5V S6
- 1 x 73911 DUOX PLUS SKYLINE W VIDEO AMPLIFIER



- 1 x 7371 8 PUSHBUTTONS 204 W DUOX/BUS2/VDS SKYLINE
- 1 x 7372 4 PUSHBUTTONS 202 V DUOX/BUS2/VDS SKYLINE
- 1 x 8856 FLUSH BOX CITY S6
- 1 x 4825 POWER SUPPLY+FILTER DIN10 24VDC-2.5A
- 2 x 3255 DUOX PLUS LINE ADAPTER

#### Video:

- Sensor: 1/3" color CMOS.
- Effective pixels > 340K. (camera captures 720x480)
- Minimum external lighting: 0 lux. Since it has LEDs, no additional lighting is required.
- Y/N >45dB.
- Frame rate 25 fps.
- Resolution> 368x288 pixels.
- Video codec: H264 Highline Profile
- Auto iris.
- Auto BLC.
- Viewing angle 100° horizontal, 80° vertical.
- Fisheye correction.
- Color night vision through white leds.
- -Pan & Tilt digital zoom.

## Details.

Weight (kg) Packaging measurements Video Door Entry system

2.147604 (height x width x depth) cm Technologie

27x25x7,5 DUOX

#### Manuals

- 970285E\_KITS\_DUOX\_PLUS\_SKYLINE\_4-12L.pdf
- 970285I\_DUOX\_PLUS\_SKYLINE\_KITS\_4-12W.pdf

### Accessories









F04825

F73911

SKYLINE DUOX PLUS VID. AMP. W



CITY FLUSH BOX S6



SKYLINE FRAME 5V (S6)

DUOX PLUS LINE ADAPTOR



4 PUSH. 202 V VDS/BUS2 SKYLINE

POWER SUPP. UNIT+FILTER DIN10 24VDC-2.5A



8 PUSH. 204 W VDS/BUS2 SKYLINE

Fermax / Products 3/3 thanks to **\*Sales Layer**